

## Order list for PBS **eterpan**base as Rigid Air Barrier

Remarks:

- This order sheet needs to be used in conjunction with the PBS Eterpan Base Installation Guide and QA check sheet.
- Return the order sheet to your merchant to be processed and delivered.
- Always check lead times and deliveries with your merchant.

FOR MERCHANT USE ONLY
<b>Name merchant:</b>
<b>Contact person:</b>
<b>Phone number:</b>
<b>Order number:</b>
<b>To be delivered to:</b>
<b>Delivery date:</b>

*Orders will only be processed when accompanied by a valid merchant order confirming value of the order*



PBS Code	Dwg Ref.*	Description	Unit	Enter quantity required
PBS0209/1		Eterpan Base 2400x1200, 4.5mm	Each	
PBS0210		Eterpan Base 2700x1200, 4.5mm	Each	
PBS0211		Eterpan Base 3000x1200, 4.5mm	Each	
PBS0220		Eterpan Base 2400x1200, 6mm	Each	
PBS0221		Eterpan Base 2700x1200, 6mm	Each	
PBS0222		Eterpan Base 3000x1200, 6mm	Each	
PBS0235		Eterpan Refined 2400x1200, 7.5mm	Each	
PBS0221		Eterpan Base 2700x1200, 6mm	Each	
PBS0222		Eterpan Base 3000x1200, 6mm	Each	
PBS0240		Eterpan Base 2400x1200, 9mm	Each	
PBS0241		Eterpan Base 2700x1200, 9 mm	Each	
PBS0242		Eterpan Base 3000x1200, 9mm	Each	
PBS0532		Tekton House Wrap, roll of 100 m2	Roll	
		<b>Approved Building Wrap, alternative to Rigid Air Barrier, seal timber frame window/door openings with flashing tapes. See details</b>		

**eterpan** base

PBS Code	Dwg Ref.*	Description	Unit	Enter quantity required
PBS0209/1S		Eterpan Base 2400x1200, 4.5mm Sealed	Each	
PBS0210S		Eterpan Base 2700x1200, 4.5mm Sealed	Each	
PBS0211S		Eterpan Base 3000x1200, 4.5mm Sealed	Each	
PBS0218S		Eterpan Base 1800x1200, 4.5mm Sealed	Each	
PBS0220S		Eterpan Base 2400x1200, 6mm Sealed	Each	
PBS0221S		Eterpan Base 2700x1200, 6mm Sealed	Each	
PBS0222S		Eterpan Base 3000x1200, 6mm Sealed	Each	

**Rigid Air Barrier: fixings**

PBS Code	Dwg Ref.*	Description	Unit	Enter quantity required
PBS0317		Galvanised clouts 40mm x 2.8mm x 5kg	Box	
PBS0310		40mm Stainless steel Clouts 5kg	Box	
PBS0313		Stainless steel screws 40mm x 3.0mm	Each	
		<b>Fixings: choose from the list above. 50 years of durability designed and use of stainless steel is required if the rigid air barrier is to have bracing resistance. Use stainless steel screws when fixing to steel frame.</b>		

**Rigid Air Barrier: fixings**

<i>Tape: choose either PROTECTO tape or Butylseal tape</i>				
PBS Code	Dwg Ref.*	Description	Unit	<i>Enter quantity required</i>
PBS0482		Protecto Tape 75mm x 30mtr (for sheet joins)	Roll	
PBS0485		Protecto Tape 150mm x 30mtr	Roll	
PBS0486		Protecto Tape 300wide x 30mtr (for wider sills)	Roll	
PBS0516		Protecto Detail tape 150mm x 15mtrs	Roll	
		<i>Detail tape is more flexible, used for around corners of windows</i>		
PBS0506		Protecto-tak spray adhesive	Can	
		<i>Primer for fixing Protecto Tape on building paper</i>		
PBS0509		Protecto Primer #80 VOC 4ltr	Can	
PBS0519		Protecto Primer #80 1lt	Can	
		<i>Primer for fixing Protecto Tape on masonry, fibre cement and cementious materials</i>		
PBS0384		Butylseal tape 80mm x 0.9mm x 15m (for sheet joins)	Roll	
PBS0385		Butylseal tape 150mm x 0.9mm x 15m	Roll	
PBS0386		Butyl tape primer 1ltr	Each	
		<i>Butylseal tape</i>		

**Rigid Air Barrier: fixings**

PBS Code	Dwg Ref.*	Description	Unit	Enter quantity required
PBS0420	0	Bostik Safeseal Sealant - 375ml cartridge	Each	
PBS0454	7.2	Bostik Safeseal Sealant - 600ml sausage (grey)	Each	
PBS0455	7.2	Bostik Safeseal Sealant - 600ml sausage (white)	Each	
<b><i>Optional. Used instead of flashing tapes to seal sheet joins. See Rigid Air Barrier Details</i></b>				
PBS0523		Bostik Fireban 1 600ml sausage (for fire rated RAB)	Each	
PBS0520		Aluminium unequal Angle 50 x 20 2400 lng	Each	
PBS0525		Aluminium Unequal angle 50x20 3000 mm lng	Each	
PBS0533		Air Seal Flashing 2400 lng	Each	
<b><i>Air seal flashing is used to seal at masonry line</i></b>				